

GENERAL CATALOGUE

UNLIMITILE 2026

UNLIMITILE

XIAMEN BESTILES IMPORT AND EXPORT CO.,LTD

Showroom : 1 / F, Building G08, Central Zone, CCIH, Jihua Road, Chancheng District, Foshan City, Guangdong Province, China

Showroom and Warehouse in New Zealand : 6 William Pickering Drive, Rosedale, Auckland, New Zealand

Showroom and Warehouse in USA : 8693 NW 70 Street Miami Florida 33166 USA

Factory : Zhangzhou Industrial Development Zone, Zhangzhou City, Fujian, China

Tel : +86 159 0503 5335

E-mail : weston135@163.com



UNLIMITILE

GENERAL CATALOGUE

UNLIMITILE

XIAMEN BESTILES IMPORT AND EXPORT CO.,LTD

Showroom : 1 / F, Building G08, Central Zone, CCIH, Jihua Road, Chancheng District, Foshan City, Guangdong Province, China

Showroom and Warehouse in New Zealand : 6 William Pickering Drive,Rosedale,Auckland, New Zealand

Showroom and Warehouse in USA : 8693 NW 70 Street Miami Florida 33166 USA

Factory : Zhangzhou Industrial Development Zone, Zhangzhou City, Fujian, China

Tel : +86 159 0503 5335

E-mail : weston135@163.com

UNLIMITILE
GENERAL CATALOGUE



Contents

1	MATERA
29	IMPERIALE
47	MONTE BLANC
89	COCO
125	PORTLAND CROSSCUT
137	PORTLAND VEINCUT
149	STONE
159	TRAVERTINE CROSSCUT
169	TRAVERTINE VEINCUT
179	JADE
191	ANGELA
203	CIMONE
209	MIX
215	LIMESTONE
221	COBBLES
227	GALAXY
231	SPARKLE
233	NOIR BLANC VEINS
239	CALACATTA ARABESCATO
243	CALACATTA GOLD
247	CALACATTA WHITE
251	STAR WHITE

MATERA



wall


MATERA WHITE / MA61201
60x120CM 24"x48"

floor

MATERA NATURE / MA604
60x60CM 24"x24"


Seven in sizes

PERFECT SIZES



Four in colours


FLAWLESS COLORS



Five in Finishes



APPLICATION AREAS



MATERA

WHITE

MA61201	60x120CM	24"x48"
MA601	60x60CM	24"x24"

SIZE



60x120cm
24"x48"



60x60cm
24"x24"



30x60cm
12"x24"



30x30cm
12"x12"



29.8x29.8cm
12"x12"



29.8x29.8cm
12"x12"



19.8x19.8cm
8"x8"



WHITE





floor

MATERA WHITE / MA61201
60x120CM 24"x48"



floor

MATERA WHITE / MA61201
60x120CM 24"x48"

Pietra di Matera Stone – Reinterpreting the Timeless Beauty of Italian Heritage Stone

Crafted to replicate the natural beige stone quarried from Matera, a World Heritage Site in southern Italy, our tile perfectly restores the stone's warm gradient from pale cream to soft yellow-grey, and precisely re-creates its subtle brownish-red natural veining, inheriting the authentic aesthetic of Italian geological stone.

Blending the texture of natural stone with cutting-edge modern tile craftsmanship, it features stain resistance, wear resistance and easy maintenance. Ideal for all scenarios including indoor & outdoor flooring, wall cladding and staircase tiling, it endows spaces with both classic Italian elegance and practical performance.

With artisan craftsmanship reinterpreting nature, this tile interprets the eternal grace of Italian marble, infusing every design with a timeless, heritage-worthy texture.



wall

BST2202
20x20CM 8"x8"

floor

MATERA WHITE / MA601
60x60CM 24"x24"

MATERA

BEIGE

MA61202	60x120CM	24"x48"
MA602	60x60CM	24"x24"

SIZE



60x120cm
24"x48"



60x60cm
24"x24"



30x60cm
12"x24"



30x30cm
12"x12"



29.8x29.8cm
12"x12"



29.8x29.8cm
12"x12"



19.8x19.8cm
8"x8"



BEIGE





floor

MATERA BEIGE / MA61202
60x120CM 24"x48"



floor

MATERA BEIGE / MA61202
60x120CM 24"x48"

Pietra di Matera – An Exquisite Italian marble Replica for Boundless Design Possibilities

Our Matera tile precisely restores the original characteristics of natural marble from Matera, Basilicata in Italy. Boasting an earthy beige base with delicate, naturally scattered veining, each piece replicates the unique color and texture of natural stone, creating exclusive design aesthetics for every project.



floor
MATERA BEIGE / MA602
 60x60CM 24"x24"

Available in a variety of finishes including matte, antique and natural stone texture, it seamlessly adapts to all design styles from minimalist modern to classic retro, suitable for both residential and commercial spaces. It perfectly combines Italian aesthetic charm with the practical advantages of porcelain tiles. Replicating the beauty of Italian natural stone, it provides a highly adaptive tile solution tailored to your design vision.



wall
MATERA BEIGE / MA362
 30x60CM 12"x24"


floor
MATERA BEIGE / MA602
 60x60CM 24"x24"

MATERA

GREY

MA61203	60x120CM	24"x48"
MA603	60x60CM	24"x24"

SIZE



MATERA GREY ANTIQUE

GREY





wall

MATERA GREY / MA363
30x60CM 12"x24"

floor

MATERA GREY / MA603
60x60CM 24"x24"



floor

MATERA GREY / MA61203
60x120CM 24"x48"

Pietra di Matera Stone

Replica of Natural Beige stone from Matera, Italy

1:1 Restoration of World Heritage Stone's Texture

Warm Natural Hues • Original Scattered Veining

All-scenario Indoor & Outdoor Application • Wear-resistant & Easy to Clean

Italian Aesthetic Reimagined • Timeless Texture Preserved




MATERA

NATURE

MA61204	60x120CM	24"x48"
MA604	60x60CM	24"x24"

SIZE



MATERA NATURE TEXTURE

NATURE






floor
 MATERA NATURE / MA604
 60x60CM 24"x24"



wall
 MATERA BEIGE DECOR / MA61202MC
 60x120CM 24"x48"

floor
 MATERA NATURE / MA61204
 60x120CM 24"x48"

MATERA



WHITE - MA61201
60x120CM - 24"x48"



WHITE - MA601
60x60CM - 24"x24"



WHITE - MA601-M11
19.8x19.8CM - 8"x8""



BEIGE - MA61202
60x120CM - 24"x48"



BEIGE - MA602
60x60CM - 24"x24"



BEIGE - MA602-M2
29.8x29.8CM - 12"x12"



GREY - MA61203
60x120CM - 24"x48"



GREY - MA603
60x60CM - 24"x24"



GREY - MA603-M12
29.8x29.8CM - 12"x12"



NATURE - MA61204
60x120CM - 24"x48"



NATURE - MA604
60x60CM - 24"x24"




NATURE DECOR - MA61204MC
60x120CM - 24"x48"

Technical Standard


TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	STANDARD PRESCRIBED VALUES	VALUES OF OUR PRODUCT
MEASUREMENT AND SURFACE APPEARANCE			
 LENGTH	EN ISO 10545-2	±0.6%	±0.1%
 WIDTH	EN ISO 10545-2	±0.6%	±0.1%
 THICKNESS	EN ISO 10545-2	±5%	±3%
 TRANSMUTATION	EN ISO 10545-2	±0.5%	±0.2%
PHYSICAL PROPERTIES			
 WATER ABSORPTION	EN ISO 10545-3	≤0.5%	≤0.1%
 BREAKING STRENGTH	EN ISO 10545-4	≥1300N	≥1800N
 MODULUS OF RUPTURE	EN ISO 10545-4	≥35N/mm²	≥40N/mm²
 ABRASION RESISTANCE	EN ISO 10545-7	PEI ≥ 2	PEI ≥ 4
 THERMAL EXPANSION COEFFICIENT	EN ISO 10545-8	≤9MK-1	≤7MK-1
 TEMPERATURE SHOCK RESISTANCE	EN ISO 10545-9	NO DEFECTS SHOULD BE VISIBLE	NO DEFECTS SHOULD BE VISIBLE
 FROST RESISTANCE	EN ISO 10545-12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE
 SLIP RESISTANCE	Pendulum SRV	N/A	Matt ≥ P3 External ≥ P5
CHEMICAL PROPERTIES			
 CHEMICAL RESISTANCE RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	EN ISO 10545-13	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS
 RESISTANCE TO STAINING	EN ISO 10545-14 when subjected to chemicals	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS

Packing Details

SERIES	Sizes 	Pcs/Ctn 	M²/Ctn 	M²/Plt 	Ctns/Plt 	Kg/Plt 
MATERA	60x120-24"x48"	2	1.44	47.52	33	1089
	60x60-24"x24"	4	1.44	57.6	40	1240
	30x60-12"x24"	8	1.44	57.6	40	1240
	30x30-12"x12"	11	0.99	55.44	56	1176
	19.8x19.8-8"x8"	11	0.44	44	100	1000
	29.8x29.8-12"x12"	11	1	54	54	1026
	29.8x29.8-12"x12"	11	1	54	54	1080




UNIFORM
APPEARANCE
V1



SLIGHT
APPEARANCE
V2



MODERATE
APPEARANCE
V3



SUBSTANTIAL
APPEARANCE
V4

IMPERIALE



floor


IMPERIALE BIANCO / IM61201
60x120CM 24"x48"

IMPERIALE

BIANCO

IM601	60x60CM	24"x24"
IM61201	60x120CM	24"x48"

SIZE



BIANCO



IMPERIALE

Three in colours 

FLAWLESS COLORS

BIANCO



GREY



CHARCOAL



wall

IMPERIALE BIANCO / IM361
30x60CM 12"x24"

floor

IMPERIALE GREY / IM61203
60x120CM 24"x48"




IMPERIALE

GREY

IM603	60x60CM	24"x24"
IM61203	60x120CM	24"x48"

SIZE



GREY





floor

IMPERIALE GREY / IM603
60x60CM 24"x24"



floor


IMPERIALE GREY / IM61203
60x120CM 24"x48"

IMPERIALE


CHARCOAL

IM606	60x60CM	24"x24"
IM61206	60x120CM	24"x48"

SIZE



CHARCOAL






wall

IMPERIALE CHARCOAL / IM366
30x60CM 12"x24"

floor

IMPERIALE CHARCOAL / IM61206
60x120CM 24"x48"



floor

IMPERIALE CHARCOAL / IM606
60x60CM 24"x24"

IMPERIALE



BIANCO - IM61201
60x120CM - 24"x48"



BIANCO - IM601
60x60CM - 24"x24"



BIANCO - IM601-M9
29.7x59.5CM - 12"x23"




GREY - IM61203
60x120CM - 24"x48"



GREY - IM603
60x60CM - 24"x24"




GREY - IM603-M3
29.8x72.3CM - 24"x28"



CHARCOAL - IM61206
60x120CM - 24"x48"



CHARCOAL - IM606
60x60CM - 24"x24"




CHARCOAL - IM606-M10
27.8x27.8CM - 11"x11"

Technical Standard


TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	STANDARD PRESCRIBED VALUES	VALUES OF OUR PRODUCT
MEASUREMENT AND SURFACE APPEARANCE			
LENGTH	EN ISO 10545-2	±0.6%	±0.1%
WIDTH	EN ISO 10545-2	±0.6%	±0.1%
THICKNESS	EN ISO 10545-2	±5%	±3%
TRANSMUTATION	EN ISO 10545-2	±0.5%	±0.2%
PHYSICAL PROPERTIES			
WATER ABSORPTION	EN ISO 10545-3	≤0.5%	≤0.1%
BREAKING STRENGTH	EN ISO 10545-4	≥1300N	≥1800N
MODULUS OF RUPTURE	EN ISO 10545-4	≥35N/mm²	≥40N/mm²
ABRASION RESISTANCE	EN ISO 10545-7	PEI ≥ 2	PEI ≥ 4
THERMAL EXPANSION COEFFICIENT	EN ISO 10545-8	≤9MK-1	≤7MK-1
TEMPERATURE SHOCK RESISTANCE	EN ISO 10545-9	NO DEFECTS SHOULD BE VISIBLE	NO DEFECTS SHOULD BE VISIBLE
FROST RESISTANCE	EN ISO 10545-12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE
SLIP RESISTANCE	Pendulum SRV	N/A	Matt ≥ P3 External ≥ P5
CHEMICAL PROPERTIES			
CHEMICAL RESISTANCE RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	EN ISO 10545-13	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS
RESISTANCE TO STAINING	EN ISO 10545-14 when subjected to chemicals	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS

Packing Details

SERIES	Sizes 	Pcs/Ctn 	M²/Ctn 	M²/Plt 	Ctns/Plt 	Kg/Plt
IMPERIALE	60x120-24"x48"	2	1.44	47.52	33	1089
	60x60-24"x24"	4	1.44	57.6	40	1240
	30x60-12"x24"	8	1.44	57.6	40	1240
	30x30-12"x12"	11	0.99	55.44	56	1176
	29.7x59.5-12"x23"	8	1.1695	46.78	40	980
	29.8x72.3-24"x28"	8	1.44	57.6	40	1200
	27.6x27.8-11"x11"	11	0.85	45.9	54	960



UNIFORM
APPEARANCE
V1



SLIGHT
APPEARANCE
V2



MODERATE
APPEARANCE
V3



SUBSTANTIAL
APPEARANCE
V4

Monte Blanc




floor

SILVER / MTB61203
60x120CM 24"x48"

Six in sizes

PERFECT SIZES




Five in colours

FLAWLESS COLORS



APPLICATION AREAS



Monte Blanc

White

MTB601	60x60CM	24"x24"
MTB61201	60x120CM	24"x48"

Size



60x120cm
24"x48"




60x60cm
24"x24"



30x60cm
12"x24"



30x30cm
12"x12"



30x44cm
12"x17"





30x35cm
12"x14"

Mosaic



WHITE





floor

MONTE BLANC WHITE / MTB61201
60x120CM 24"x48"



Monte Blanc

Monte Blanc



wall & floor
MONTE BLANC WHITE / MTB61201
60x120CM 24"x48"

Monte Blanc Series: Infuse Your Space with the Poetic Charm of a Snow Mountain When the snow-capped grandeur of Monte Blanc meets its rugged rock veins, this natural majesty and tranquility are captured in every piece of the Monte Blanc Tiles.



floor
MONTE BLANC WHITE / MTB601
60x60CM 24"x24"

Monte Blanc

Pearl

MTB602	60x60CM	24"x24"
MTB61202	60x120CM	24"x48"

Size



60x120cm
24"x48"



60x60cm
24"x24"



30x60cm
12"x24"



30x30cm
12"x12"



30x44cm
12"x17"



30x35cm
12"x14"



PEARL





floor
 MONTE BLANC PEARL / MTB602
 60x60CM 24"x24"

The soft gray base echoes the textured rock formations of Monte Blanc, embodying the profound serenity of the Alps. The silvery-white and golden filamentary veins mimic the snowdrifts and glacial lines winding through the mountains, crafting vivid layers and grace within each tile.



wall
 MONTE BLANC PEARL / MTB602 MOSAIC
 30x35cm 12"x14"

floor
 MONTE BLANC PEARL / MTB602
 60x60CM 24"x24"



floor
MONTE BLANC PEARL / MTB61202
60x120CM 24"x48"

Monte Blanc



floor
MONTE BLANC PEARL / MTB602
60x60CM 24"x24"



countertop
MONTE BLANC SILVER / MTB61203
60x120CM 24"x48"

wall & floor
MONTE BLANC PEARL / MTB61202
60x120CM 24"x48"

Monte Blanc

Monte Blanc


Silver

MTB603	60x60CM	24"x24"
MTB61203	60x120CM	24"x48"

Size



60x120cm
24"x48"



60x60cm
24"x24"



30x60cm
12"x24"



30x30cm
12"x12"



30x44cm
12"x17"



30x35cm
12"x14"



SILVER






floor

MONTE BLANC SILVER / MTB603
60x60CM 24"x24"

Every grain is uniquely scattered some clustered in the corners in a blooming pattern, others stretching across the surface in linear elegance. When laid, they replicate the unspoiled texture of Monte Blanc's landscape, breaking the monotony of space while retaining the authentic touch of natural stone.



floor

MONTE BLANC SILVER / MTB603
60x60CM 24"x24"

Monte Blanc



floor
MONTE BLANC SILVER / MTB603
60x60CM 24"x24"



floor
MONTE BLANC SILVER / MTB603
60x60CM 24"x24"



Monte Blanc



floor
 MONTE BLANC SILVER / MTB61203
 60x120CM 24"x48"



floor
 MONTE BLANC SILVER / MTB61203
 60x120CM 24"x48"



floor

MONTE BLANC SILVER / MTB603
60x60CM 24"x24"



wall

MONTE BLANC PEARL / MTB602 MOSAIC
30x44cm 12"x17"

MONTE BLANC SILVER / MTB363
30x60CM 12"x24"

floor

MONTE BLANC SILVER / MTB603
60x60CM 24"x24"

Monte Blanc

Grey

MTB604	60x60CM	24"x24"
MTB61204	60x120CM	24"x48"

Size



60x120cm
24"x48"



60x60cm
24"x24"



30x60cm
12"x24"



30x30cm
12"x12"



30x44cm
12"x17"



30x35cm
12"x14"

Mosaic



GREY





wall
MONTE BLANC GREY / MTB364
30x60CM 12"x24"

floor
MONTE BLANC SILVER / MTB603
60x60CM 24"x24"



floor
MONTE BLANC GREY / MTB604
60x60CM 24"x24"



Monte Bianco



wall & floor

MONTE BLANC GREY / MTB61204
60x120CM 24"x48"

With a surface that perfectly replicates the look and feel of natural stone, these tiles boast excellent wear resistance and stain resistance, making them ideal for high-traffic areas like living rooms,kitchens,and bathrooms.



floor

MONTE BLANC GREY / MTB61204
60x120CM 24"x48"

Whether paired with the clean lines of modern minimalism, the sophisticated glamour of luxury style, or the cozy warmth of Nordic design, the Monte Blanc Series seamlessly blends in.



floor
MONTE BLANC GREY / MTB604
60x60CM 24"x24"



wall
MONTE BLANC GREY / MTB604 MOSAIC
30x35cm 12"x14"
floor
MONTE BLANC GREY / MTB604
60x60CM 24"x24"

Monte Blanc


Beige

MTB606	60x60CM	24"x24"
MTB61206	60x120CM	24"x48"

Size



60x120cm
24"x48"



60x60cm
24"x24"



30x60cm
12"x24"



30x30cm
12"x12"



30x44cm
12"x17"



30x35cm
12"x14"

Mosaic



MONTE BLANC BEIGE / MTB61206

BEIGE





wall
MONTE BLANC BEIGE / MTB366
30x60CM 12"x24"


floor
MONTE BLANC BEIGE / MTB606
60x60CM 24"x24"

It endows your space with the grandeur of a snow-capped mountain and the warmth of a home letting you embrace the poetic allure of natural landscapes in your daily life.




floor
MONTE BLANC BEIGE / MTB606
60x60CM 24"x24"


Monte Blanc



WHITE - MTB61201
60x120CM - 24"x48"




WHITE - MTB601
60x60CM - 24"x24"



MTB601-M6
30x44M - 12"x17"



MTB601-M7
30x35CM - 12"x14"



PEARL - MTB61202
60x120CM - 24"x48"




PEARL - MTB602
60x60CM - 24"x24"



MTB602-M6
30x44M - 12"x17"



MTB602-M7
30x35CM - 12"x14"



SILVER - MTB61203
60x120CM - 24"x48"




SILVER - MTB603
60x60CM - 24"x24"



MTB603-M6
30x44M - 12"x17"



MTB603-M7
30x35CM - 12"x14"



GREY - MTB61204
60x120CM - 24"x48"




GREY - MTB604
60x60CM - 24"x24"




MTB604-M6
30x44M - 12"x17"



MTB604-M7
30x35CM - 12"x14"



BEIGE - MTB61206
60x120CM - 24"x48"



BEIGE - MTB606
60x60CM - 24"x24"




MTBMIX-1
30x44M - 12"x17"

Technical Standard


TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	STANDARD PRESCRIBED VALUES	VALUES OF OUR PRODUCT
MEASUREMENT AND SURFACE APPEARANCE			
 LENGTH	EN ISO 10545-2	±0.6%	±0.1%
 WIDTH	EN ISO 10545-2	±0.6%	±0.1%
 THICKNESS	EN ISO 10545-2	±5%	±3%
 TRANSMUTATION	EN ISO 10545-2	±0.5%	±0.2%
PHYSICAL PROPERTIES			
 WATER ABSORPTION	EN ISO 10545-3	≤0.5%	≤0.1%
 BREAKING STRENGTH	EN ISO 10545-4	≥1300N	≥1800N
 MODULUS OF RUPTURE	EN ISO 10545-4	≥35N/mm²	≥40N/mm²
 ABRASION RESISTANCE	EN ISO 10545-7	PEI ≥ 2	PEI ≥ 4
 THERMAL EXPANSION COEFFICIENT	EN ISO 10545-8	≤9MK-1	≤7MK-1
 TEMPERATURE SHOCK RESISTANCE	EN ISO 10545-9	NO DEFECTS SHOULD BE VISIBLE	DURABLE
 FROST RESISTANCE	EN ISO 10545-12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE	ANI-ICE
 SLIP RESISTANCE	Pendulum SRV	P2-P5	Matt≥P4 (in/out glazed)
CHEMICAL PROPERTIES			
 CHEMICAL RESISTANCE RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	EN ISO 10545-13	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	DURABLE
 RESISTANCE TO STAINING	EN ISO 10545-14 when subjected to chemicals	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	NOM SI BLE DEFECTS

Packing Details


SERIES	Sizes 	Pcs/Ctn 	M²/Ctn 	M²/Plt 	Ctns/Plt 	Kg/Plt 
Monte Blanc	60x120-24"x48"	2	1.44	47.52	33	1089
	60x60-24"x24"	4	1.44	57.6	40	1240
	30x60-12"x24"	8	1.44	57.6	40	1240
	30x30-12"x12"	11	0.99	55.44	56	1176
	30x44-12"x17"Mosaic	11	1.32	63.36	48	1224
	30x35-12"x14"Mosaic	11	1	54	54	1020



UNIFORM
APPEARANCE
V1



SLIGHT
APPEARANCE
V2



MODERATE
APPEARANCE
V3



SUBSTANTIAL
APPEARANCE
V4

coco


wall & floor

COCO PEARL / CCN61205
60x120CM 24"x48"



Six in sizes

PERFECT SIZES




Four in colours

FLAWLESS COLORS



APPLICATION AREAS



COCO

White

CCN601	60x60CM	24"x24"
CCN61201	60x120CM	24"x48"

Size



60x120cm
24"x48"



60x60cm
24"x24"




30x60cm
12"x24"



30x30cm
12"x12"



32x28cm
13"x11"



29x49m
12"x20"

Mosaic





floor

COCO WHITE / CCN361
30x60CM 12"x24"



floor

COCO WHITE / CCN61201
60x120CM 24"x48"



Coco Series: Natural Limestone Elegance, Redefined for Your Space
Inspired by the timeless charm of natural limestone, the Coco Series captures its pure, pristine essence—featuring a clean, mist-like light base that exudes a soothing, unblemished vibe. Meticulously replicated, its natural textures unfold in subtle layers: delicate veins and gentle grains, like traces carved by time, add richness without clutter, blending seamlessly with understated sophistication.

Versatile enough to elevate any interior style—from sleek modern minimalism to romantic French luxury and cozy Scandinavian charm—this tile collection brings effortless elegance to every room. Low-maintenance yet long-lasting, it preserves the high-end allure of natural stone, turning your living spaces into refined havens where nature's beauty meets everyday practicality.



floor
COCO WHITE / CCN61201
60x120CM 24"x48"



floor
COCO WHITE / CCN601
60x60CM 24"x24"



wall
COCO GREIGE / CCN61203
60x120CM 24"x48"

floor
COCO WHITE / CCN601
60x60CM 24"x24"



floor
COCO WHITE / CCN61201
60x120CM 24"x48"



floor
COCO WHITE / CCN601
60x60CM 24"x24"

COCO

Ivory

CCN602	60x60CM	24"x24"
CCN61202	60x120CM	24"x48"

Size



60x120cm
24"x48"



60x60cm
24"x24"




30x60cm
12"x24"



30x30cm
12"x12"



32x28cm
13"x11"



29x49m
12"x20"

Mosaic





wall

COCO IVORY / CCN602 MOSAIC
29x49cm 12"x20"

floor

COCO IVORY / CCN61202
60x120CM 24"x48"



floor
 COCO IVORY / CCN602
 60x60CM 24"x24"



floor
 COCO IVORY / CCN602
 60x60CM 24"x24"



wall

COCO IVORY / CCN602 MOSAIC

32X28cm 13"x11"

COCO IVORY / CCN362

30x60CM 12"x24"

floor

COCO IVORY / CCN602

60x60CM 24"x24"



floor

COCO IVORY / CCN602

60x60CM 24"x24"

Coco Series: Natural Limestone Elegance, Redefined for Your Space
Inspired by the timeless charm of natural limestone, the Coco Series captures its pure, pristine essence—featuring a clean, mist-like light base that exudes a soothing, unblemished vibe. Meticulously replicated, its natural textures unfold in subtle layers: delicate veins and gentle grains, like traces carved by time, add richness without clutter, blending seamlessly with understated sophistication.





floor
COCO IVORY / CN61202
60x120CM 24"x48"

Versatile enough to elevate any interior style—from sleek modern minimalism to romantic French luxury and cozy Scandinavian charm—this tile collection brings effortless elegance to every room. Low-maintenance yet long-lasting, it preserves the high-end allure of natural stone, turning your living spaces into refined havens where nature's beauty meets everyday practicality.



wall
COCO IVORY / CCN61202
60x120CM 24"x48"

floor
COCO GREIGE / CCN61203
60x120CM 24"x48"

Greige

CCN603	60x60CM	24"x24"
CCN61203	60x120CM	24"x48"

Size



60x120cm
24"x48"



60x60cm
24"x24"




30x60cm
12"x24"



30x30cm
12"x12"



32x28cm
13"x11"



29x49m
12"x20"

Mosaic





floor

COCO GREIGE / CCN61203
60x120CM 24"x48"



floor

COCO GREIGE / CCN603
60x60CM 24"x24"

Coco Series: Natural Limestone Elegance, Redefined for Your Space

Inspired by the timeless charm of natural limestone, the Coco Series captures its pure, pristine essence—featuring a clean, mist-like light base that exudes a soothing, unblemished vibe. Meticulously replicated, its natural textures unfold in subtle layers: delicate veins and gentle grains, like traces carved by time, add richness without clutter, blending seamlessly with understated sophistication.



wall

COCO GREIGE / CCN61203
60x120CM 24"x48"

floor

COCO GREIGE / CCN603
60x60CM 24"x24"

Versatile enough to elevate any interior style—from sleek modern minimalism to romantic French luxury and cozy Scandinavian charm—this tile collection brings effortless elegance to every room. Low-maintenance yet long-lasting, it preserves the high-end allure of natural stone, turning your living spaces into refined havens where nature's beauty meets everyday practicality.



floor

COCO GREIGE / CCN603
60x60CM 24"x24"



COCO

Pearl

CCN605	60x60CM	24"x24"
CCN61205	60x120CM	24"x48"

Size



60x120cm
24"x48"



60x60cm
24"x24"




30x60cm
12"x24"



30x30cm
12"x12"



32x28cm
13"x11"



29x49m
12"x20"

Mosaic





wall

COCO PEARL / CCN365
30x60CM 12"x24"

floor

COCO PEARL / CCN605
60x60CM 24"x24"



floor

COCO PEARL / CCN605
60x60CM 24"x24"

Coco Series: Natural Limestone Elegance, Redefined for Your Space

Inspired by the timeless charm of natural limestone, the Coco Series captures its pure, pristine essence—featuring a clean, mist-like light base that exudes a soothing, unblemished vibe. Meticulously replicated, its natural textures unfold in subtle layers: delicate veins and gentle grains, like traces carved by time, add richness without clutter, blending seamlessly with understated sophistication.



floor
COCO PEARL / CCN605
60x60CM 24"x24"

Versatile enough to elevate any interior style—from sleek modern minimalism to romantic French luxury and cozy Scandinavian charm—this tile collection brings effortless elegance to every room. Low-maintenance yet long-lasting, it preserves the high-end allure of natural stone, turning your living spaces into refined havens where nature's beauty meets everyday practicality.



floor
COCO PEARL / CCN61205
60x120CM 24"x48"



WHITE - CCN61201
60x120CM - 24"x48"



WHITE - CCN601
60x60CM - 24"x24"



CCN602-M5
32x28CM - 13"x11"



IVORY - CCN61202
60x120CM - 24"x48"



IVORY - CCN602
60x60CM - 24"x24"



CCN602-M6
29x49CM - 12"x20"




GREIGE - CCN61203
60x120CM - 24"x48"



GREIGE - CCN603
60x60CM - 24"x24"



CCNMIX-1
32x28CM - 13"x11"



PEARL - CCN61205
60x120CM - 24"x48"



PEARL - CCN605
60x60CM - 24"x24"



CCNMIX-2
29x49CM - 12"x20"

Technical Standard

TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	STANDARD PRESCRIBED VALUES	VALUES OF OUR PRODUCT
MEASUREMENT AND SURFACE APPEARANCE			
LENGTH	EN ISO 10545-2	±0.6%	±0.1%
WIDTH	EN ISO 10545-2	±0.6%	±0.1%
THICKNESS	EN ISO 10545-2	±5%	±3%
TRANSMUTATION	EN ISO 10545-2	±0.5%	±0.2%
PHYSICAL PROPERTIES			
WATER ABSORPTION	EN ISO 10545-3	≤0.5%	≤0.1%
BREAKING STRENGTH	EN ISO 10545-4	≥1300N	≥1800N
MODULUS OF RUPTURE	EN ISO 10545-4	≥35N/mm²	≥40N/mm²
ABRASION RESISTANCE	EN ISO 10545-7	PEI ≥ 2	PEI ≥ 4
THERMAL EXPANSION COEFFICIENT	EN ISO 10545-8	≤9MK-1	≤7MK-1
TEMPERATURE SHOCK RESISTANCE	EN ISO 10545-9	NO DEFECTS SHOULD BE VISIBLE	DURABLE
FROST RESISTANCE	EN ISO 10545-12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE	ANI-ICE
SLIP RESISTANCE	Pendulum SRV	P2-P5	Matt≥P4 (in/out glazed)
CHEMICAL PROPERTIES			
CHEMICAL RESISTANCE RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	EN ISO 10545-13	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	DURABLE
RESISTANCE TO STAINING	EN ISO 10545-14 when subjected to chemicals	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	NOM SI BLE DEFECTS

Packing Details

SERIES	Sizes 	Pcs/Ctn 	M²/Ctn 	M²/Plt 	Ctns/Plt 	Kg/Plt
COCO	60x120-24"x48"	2	1.44	47.52	33	1089
	60x60-24"x24"	4	1.44	57.6	40	1240
	30x60-12"x24"	8	1.44	57.6	40	1240
	30x30-12"x12"	11	0.99	55.44	56	1176
	32x28CM-13"x11"Mosaic	11	0.891	48.11	54	1015
	29x49CM-12"x20"Mosaic	11	1.32	63.36	48	1020

UNIFORM
APPEARANCE
V1

SLIGHT
APPEARANCE
V2

MODERATE
APPEARANCE
V3

SUBSTANTIAL
APPEARANCE
V4

PORTLAND CROSSCUT

floor

GRIS / PTL6005
60x60CM 24"x24"

PORTLAND CROSSCUT

Four in sizes
PERFECT SIZES



60x120cm
24"x48"



60x60cm
24"x24"



30x60cm
12"x24"



30x30cm
12"x12"

Six in colours
FLAWLESS COLORS




WHITE



SILVER



GRIS



GRIGIO



CHARCOAL



BEIGE

WHITE





floor

WHITE / PTL61201

60x120CM 24"x48"



floor

SILVER / PTL6003

60x60CM 24"x24"



floor

GRIGIO / PTL6006
60x60CM 24"x24"



floor

SILVER / PTL61203
60x120CM 24"x48"



floor

CHARCOAL / PTL6007

60x60CM 24"x24"

Technical Standard

TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	STANDARD PRESCRIBED VALUES	VALUES OF OUR PRODUCT
MEASUREMENT AND SURFACE APPEARANCE			
LENGTH	EN ISO 10545-2	±0.6%	±0.1%
WIDTH	EN ISO 10545-2	±0.6%	±0.1%
THICKNESS	EN ISO 10545-2	±5%	±3%
TRANSMUTATION	EN ISO 10545-2	±0.5%	±0.2%
PHYSICAL PROPERTIES			
WATER ABSORPTION	EN ISO 10545-3	≤0.5%	≤0.1%
BREAKING STRENGTH	EN ISO 10545-4	≥1300N	≥1800N
MODULUS OF RUPTURE	EN ISO 10545-4	≥35N/mm²	≥40N/mm²
ABRASION RESISTANCE	EN ISO 10545-7	PEI ≥ 2	PEI ≥ 4
THERMAL EXPANSION COEFFICIENT	EN ISO 10545-8	≤9MK-1	≤7MK-1
TEMPERATURE SHOCK RESISTANCE	EN ISO 10545-9	NO DEFECTS SHOULD BE VISIBLE	NO DEFECTS SHOULD BE VISIBLE
FROST RESISTANCE	EN ISO 10545-12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE
SLIP RESISTANCE	Pendulum SRV	N/A	Matt ≥ P3 External ≥ P5
CHEMICAL PROPERTIES			
CHEMICAL RESISTANCE RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	EN ISO 10545-13	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS
RESISTANCE TO STAINING	EN ISO 10545-14 when subjected to chemicals	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS

Packing Details

SERIES	Sizes 	Pcs/Ctn 	M²/Ctn 	M²/Plt 	Ctns/Plt 	Kg/Plt
PORTLAND CROSSCUT	60x120-24"x48"	2	1.44	47.52	33	1089
	60x60-24"x24"	4	1.44	57.6	40	1240
	30x60-12"x24"	8	1.44	57.6	40	1240
	30x30-12"x12"	11	0.99	55.44	56	1176

UNIFORM APPEARANCE
V1


SLIGHT APPEARANCE
V2

MODERATE APPEARANCE
V3


SUBSTANTIAL APPEARANCE
V4

PORTLAND CROSSCUT


WHITE



PTL61201
60x120CM
24"x48"




PTL6001
60x60CM
24"x24"



PTL361
30x60CM
12"x24"


SILVER



PTL61203
60x120CM
24"x48"



PTL6003
60x60CM
24"x24"



PTL363
30x60CM
12"x24"

CHARCOAL



PTL61207
60x120CM
24"x48"




PTL6007
60x60CM
24"x24"



PTL367
30x60CM
12"x24"


BEIGE



PTL61208
60x120CM
24"x48"



PTL6008
60x60CM
24"x24"



PTL368
30x60CM
12"x24"

GRIS



PTL61205
60x120CM
24"x48"



PTL6005
60x60CM
24"x24"



PTL365
30x60CM
12"x24"

GRIGIO



PTL61206
60x120CM
24"x48"



PTL6006
60x60CM
24"x24"



PTL366
30x60CM
12"x24"



floor
BEIGE / PTL6008
60x60CM 24"x24"

PORTLAND VEINCUT




floor

GRIS / PV61205
60x120CM 24"x48"

PORTLAND VEINCUT

Four in sizes



PERFECT SIZES



60x120cm
24"x48"



60x60cm
24"x24"



30x60cm
12"x24"



30x30cm
12"x12"

Six in colours



FLAWLESS COLORS



WHITE



SILVER



GRIS



GRIGIO



CHARCOAL



BEIGE

GRIGIO





floor

WHITE / PV61201
60x120CM 24"x48"



wall

WHITE / PV361
30x60CM 12"x24"

floor

WHITE / PTL6001
60x60CM 24"x24"



floor
GRIGIO / PV61206
60x120CM 24"x48"



floor
SILVER / PV603
60x60CM 24"x24"



floor


CHARCOAL / PV61207
60x120CM 24"x48"

Technical Standard


TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	STANDARD PRESCRIBED VALUES	VALUES OF OUR PRODUCT
MEASUREMENT AND SURFACE APPEARANCE			
LENGTH	EN ISO 10545-2	±0.6%	±0.1%
WIDTH	EN ISO 10545-2	±0.6%	±0.1%
THICKNESS	EN ISO 10545-2	±5%	±3%
TRANSMUTATION	EN ISO 10545-2	±0.5%	±0.2%
PHYSICAL PROPERTIES			
WATER ABSORPTION	EN ISO 10545-3	≤0.5%	≤0.1%
BREAKING STRENGTH	EN ISO 10545-4	≥1300N	≥1800N
MODULUS OF RUPTURE	EN ISO 10545-4	≥35N/mm²	≥40N/mm²
ABRASION RESISTANCE	EN ISO 10545-7	PEI ≥ 2	PEI ≥ 4
THERMAL EXPANSION COEFFICIENT	EN ISO 10545-8	≤9MK-1	≤7MK-1
TEMPERATURE SHOCK RESISTANCE	EN ISO 10545-9	NO DEFECTS SHOULD BE VISIBLE	NO DEFECTS SHOULD BE VISIBLE
FROST RESISTANCE	EN ISO 10545-12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE
SLIP RESISTANCE	Pendulum SRV	N/A	Matt≥P3
CHEMICAL PROPERTIES			
CHEMICAL RESISTANCE RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	EN ISO 10545-13	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS
RESISTANCE TO STAINING	EN ISO 10545-14 when subjected to chemicals	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS

Packing Details


SERIES	Sizes 	Pcs/Ctn 	M²/Ctn 	M²/Plt 	Ctns/Plt 	Kg/Plt
PORTLAND VEINCUT	60x120-24"x48"	2	1.44	47.52	33	1089
	60x60-24"x24"	4	1.44	57.6	40	1240
	30x60-12"x24"	8	1.44	57.6	40	1240
	30x30-12"x12"	11	0.99	55.44	56	1176




UNIFORM
APPEARANCE
V1



SLIGHT
APPEARANCE
V2



MODERATE
APPEARANCE
V3



SUBSTANTIAL
APPEARANCE
V4

PORTLAND VEINCUT

WHITE



PV61201
60x120CM
24"x48"



PV601
60x60CM
24"x24"



PV361
30x60CM
12"x24"

SILVER



PV61203
60x120CM
24"x48"



PV603
60x60CM
24"x24"



PV363
30x60CM
12"x24"

CHARCOAL



PV61207
60x120CM
24"x48"



PV607
60x60CM
24"x24"



PV367
30x60CM
12"x24"

BEIGE



PV61208
60x120CM
24"x48"



PV608
60x60CM
24"x24"



PV368
30x60CM
12"x24"

GRIS



PV61205
60x120CM
24"x48"



PV605
60x60CM
24"x24"



PV365
30x60CM
12"x24"

GRIGIO



PV61206
60x120CM
24"x48"



PV606
60x60CM
24"x24"



PV366
30x60CM
12"x24"



floor
BEIGE / PV608
60x60CM 24"x24"


STONE



floor

PEARL / SN604
60x60CM 24"x24"


STONE

Four in sizes 

PERFECT SIZES



60x120cm
24"x48"



60x60cm
24"x24"



30x60cm
12"x24"




30x30cm
12"x12"

Four in colours 

FLAWLESS COLORS




WHITE



GREY



PEARL



CHARCOAL

PEARL





wall

WHITE / SN361
30x60CM 12"x24"



floor

PEARL / SN61204
60x120CM 24"x48"



floor

CHARCOAL / SN61205
60x120CM 24"x48"



floor

GREY / SN603
60x60CM 24"x24"

STONE



WHITE - SN61201
60x120CM - 24"x48"



WHITE - SN601
60x60CM - 24"x24"



WHITE - SN61201D
60x120CM - 24"x48"




GREY - SN61203
60x120CM - 24"x48"



GREY - SN603
60x60CM - 24"x24"




GREY - SN61203D
60x120CM - 24"x48"




PEARL - SN61204
60x120CM - 24"x48"




PEARL - SN604
60x60CM - 24"x24"




PEARL - SN61204D
60x120CM - 24"x48"



CHARCOAL - SN61205
60x120CM - 24"x48"



CHARCOAL - SN605
60x60CM - 24"x24"



CHARCOAL - SN61205D
60x120CM - 24"x48"

Technical Standard

TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	STANDARD PRESCRIBED VALUES	VALUES OF OUR PRODUCT
MEASUREMENT AND SURFACE APPEARANCE			
LENGTH	EN ISO 10545-2	±0.6%	±0.1%
WIDTH	EN ISO 10545-2	±0.6%	±0.1%
THICKNESS	EN ISO 10545-2	±5%	±3%
TRANSMUTATION	EN ISO 10545-2	±0.5%	±0.2%
PHYSICAL PROPERTIES			
WATER ABSORPTION	EN ISO 10545-3	≤0.5%	≤0.1%
BREAKING STRENGTH	EN ISO 10545-4	≥1300N	≥1800N
MODULUS OF RUPTURE	EN ISO 10545-4	≥35N/mm²	≥40N/mm²
ABRASION RESISTANCE	EN ISO 10545-7	PEI ≥ 2	PEI ≥ 4
THERMAL EXPANSION COEFFICIENT	EN ISO 10545-8	≤9MK-1	≤7MK-1
TEMPERATURE SHOCK RESISTANCE	EN ISO 10545-9	NO DEFECTS SHOULD BE VISIBLE	NO DEFECTS SHOULD BE VISIBLE
FROST RESISTANCE	EN ISO 10545-12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE
SLIP RESISTANCE	Pendulum SRV	N/A	Matt ≥ P3 External ≥ P5
CHEMICAL PROPERTIES			
CHEMICAL RESISTANCE RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	EN ISO 10545-13	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS
RESISTANCE TO STAINING	EN ISO 10545-14 when subjected to chemicals	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS

Packing Details

SERIES	Sizes 	Pcs/Ctn 	M²/Ctn 	M²/Plt 	Ctns/Plt 	Kg/Plt
STONE	60x120-24"x48"	2	1.44	47.52	33	1089
	60x60-24"x24"	4	1.44	57.6	40	1240
	30x60-12"x24"	8	1.44	57.6	40	1240
	30x30-12"x12"	11	0.99	55.44	56	1176

UNIFORM
APPEARANCE
V1

SLIGHT
APPEARANCE
V2

MODERATE
APPEARANCE
V3

SUBSTANTI
APPEARANC
V4




TRAVERTINE CROSSCUT

floor

WHITE / NTR601
60x60CM 24"x24"


TRAVERTINE CROSSCUT

Four in sizes 

PERFECT SIZES



60x120cm
24"x48"



60x60cm
24"x24"



30x60cm
12"x24"



30x30cm
12"x12"

Four in colours 

FLAWLESS COLORS



WHITE



CAPPUCCINO



BEIGE



GREY

GREY





Wall

GREY / NTR3610
30x60CM 12"x24"

floor

GREY / NTR610
60x60CM 24"x24"





floor
CAPPUCCINO / NTR606
 60x60CM 24"x24"



floor
BEIGE / NTR61209
 60x120CM 24"x48"

TRAVERTINE CROSSCUT


WHITE



NTR61201
60x120CM
24"x48"




NTR601
60x60CM
24"x24"




NTR361
30x60CM
12"x24"


CAPPUCCINO



NTR61206
60x120CM
24"x48"




NTR606
60x60CM
24"x24"



NTR366
30x60CM
12"x24"


BEIGE



NTR61209
60x120CM
24"x48"




NTR609
60x60CM
24"x24"




NTR369
30x60CM
12"x24"


GREY



NTR61210
60x120CM
24"x48"



NTR610
60x60CM
24"x24"



NTR3610
30x60CM
12"x24"

Technical Standard

TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	STANDARD PRESCRIBED VALUES	VALUES OF OUR PRODUCT
MEASUREMENT AND SURFACE APPEARANCE			
LENGTH	EN ISO 10545-2	±0.6%	±0.1%
WIDTH	EN ISO 10545-2	±0.6%	±0.1%
THICKNESS	EN ISO 10545-2	±5%	±3%
TRANSMUTATION	EN ISO 10545-2	±0.5%	±0.2%
PHYSICAL PROPERTIES			
WATER ABSORPTION	EN ISO 10545-3	≤0.5%	≤0.1%
BREAKING STRENGTH	EN ISO 10545-4	≥1300N	≥1800N
MODULUS OF RUPTURE	EN ISO 10545-4	≥35N/mm ²	≥40N/mm ²
ABRASION RESISTANCE	EN ISO 10545-7	PEI ≥ 2	PEI ≥ 4
THERMAL EXPANSION COEFFICIENT	EN ISO 10545-8	≤9MK-1	≤7MK-1
TEMPERATURE SHOCK RESISTANCE	EN ISO 10545-9	NO DEFECTS SHOULD BE VISIBLE	NO DEFECTS SHOULD BE VISIBLE
FROST RESISTANCE	EN ISO 10545-12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE
SLIP RESISTANCE	Pendulum SRV	N/A	Matt ≥ P3
CHEMICAL PROPERTIES			
CHEMICAL RESISTANCE RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	EN ISO 10545-13	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS
RESISTANCE TO STAINING	EN ISO 10545-14 when subjected to chemicals	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS

Packing Details

SERIES	Sizes 	Pcs/Ctn 	M ² /Ctn 	M ² /Plt 	Ctns/Plt 	Kg/Plt
TRAVERTINE CROSSCUT	60x120-24"x48"	2	1.44	47.52	33	1089
	60x60-24"x24"	4	1.44	57.6	40	1240
	30x60-12"x24"	8	1.44	57.6	40	1240
	30x30-12"x12"	11	0.99	55.44	56	1176

UNIFORM APPEARANCE V1

SLIGHT APPEARANCE V2

MODERATE APPEARANCE V3

SUBSTANTIAL APPEARANCE V4


TRAVERTINE VEINCUT



floor

BEIGE / TVT61202
60x120CM 24"x48"

TRAVERTINE VEINCUT

Four in sizes 

PERFECT SIZES



60x120cm
24"x48"



60x60cm
24"x24"



30x60cm
12"x24"



30x30cm
12"x12"

Five in colours 

FLAWLESS COLORS



WHITE




BEIGE



PEARL



ALMOND



NOCE

BEIGE





floor

PEARL / TVT61204
60x120CM 24"x48"



floor

ALMOND/ TVT61205
60x120CM 24"x48"



wall
WHITE / TVT361
30x60CM 12"x24"

Technical Standard

TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	STANDARD PRESCRIBED VALUES	VALUES OF OUR PRODUCT
MEASUREMENT AND SURFACE APPEARANCE			
LENGTH	EN ISO 10545-2	±0.6%	±0.1%
WIDTH	EN ISO 10545-2	±0.6%	±0.1%
THICKNESS	EN ISO 10545-2	±5%	±3%
TRANSMUTATION	EN ISO 10545-2	±0.5%	±0.2%
PHYSICAL PROPERTIES			
WATER ABSORPTION	EN ISO 10545-3	≤0.5%	≤0.1%
BREAKING STRENGTH	EN ISO 10545-4	≥1300N	≥1800N
MODULUS OF RUPTURE	EN ISO 10545-4	≥35N/mm²	≥40N/mm²
ABRASION RESISTANCE	EN ISO 10545-7	PEI ≥ 2	PEI ≥ 4
THERMAL EXPANSION COEFFICIENT	EN ISO 10545-8	≤9MK-1	≤7MK-1
TEMPERATURE SHOCK RESISTANCE	EN ISO 10545-9	NO DEFECTS SHOULD BE VISIBLE	NO DEFECTS SHOULD BE VISIBLE
FROST RESISTANCE	EN ISO 10545-12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE
SLIP RESISTANCE	Pendulum SRV	N/A	Matt≥P3
CHEMICAL PROPERTIES			
CHEMICAL RESISTANCE RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	EN ISO 10545-13	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS
RESISTANCE TO STAINING	EN ISO 10545-14 when subjected to chemicals	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS

Packing Details

SERIES	Sizes 	Pcs/Ctn 	M²/Ctn 	M²/Plt 	Ctns/Plt 	Kg/Plt
TRAVERTINE VEINCUT	60x120-24"x48"	2	1.44	47.52	33	1089
	60x60-24"x24"	4	1.44	57.6	40	1240
	30x60-12"x24"	8	1.44	57.6	40	1240
	30x30-12"x12"	11	0.99	55.44	56	1176

UNIFORM APPEARANCE V1

SLIGHT APPEARANCE V2

MODERATE APPEARANCE V3

SUBSTANTIA APPEARANCE V4

TRAVERTINE VEINCUT

WHITE



TVT61201
60x120CM
24"x48"




TVT6001
60x60CM
24"x24"



TVT361
30x60CM
12"x24"

BEIGE



TVT61202
60x120CM
24"x48"



TVT6002
60x60CM
24"x24"



TVT362
30x60CM
12"x24"

NOCE



TVT61206
60x120CM
24"x48"



TVT6006
60x60CM
24"x24"




TVT366
30x60CM
12"x24"

PEARL



TVT61204
60x120CM
24"x48"



TVT6004
60x60CM
24"x24"



TVT364
30x60CM
12"x24"

ALMOND



TVT61205
60x120CM
24"x48"



TVT6005
60x60CM
24"x24"



TVT365
30x60CM
12"x24"



floor
NOCE / TVT61206
60x120CM 24"x48"


JADE



Wall & floor
PEARL / JAD604
60x60CM 24"x24"

JADE

Four in sizes



PERFECT SIZES



60x120cm
24"x48"



60x60cm
24"x24"



30x60cm
12"x24"



30x30cm
12"x12"

Six in colours



FLAWLESS COLORS



GREIGE



WHITE



TAUPE



PEARL



SILVER



BEIGE

TAUPE





floor

GREIGE / JAD601
60x60CM 24"x24"



Wall & floor

PEARL / JAD61204
60x120CM 24"x48"

JADE



floor
WHITE / JAD602
60x60CM 24"x24"

Technical Standard

TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	STANDARD PRESCRIBED VALUES	VALUES OF OUR PRODUCT
MEASUREMENT AND SURFACE APPEARANCE			
LENGTH	EN ISO 10545-2	±0.6%	±0.1%
WIDTH	EN ISO 10545-2	±0.6%	±0.1%
THICKNESS	EN ISO 10545-2	±5%	±3%
TRANSMUTATION	EN ISO 10545-2	±0.5%	±0.2%
PHYSICAL PROPERTIES			
WATER ABSORPTION	EN ISO 10545-3	≤0.5%	≤0.1%
BREAKING STRENGTH	EN ISO 10545-4	≥1300N	≥1800N
MODULUS OF RUPTURE	EN ISO 10545-4	≥35N/mm²	≥40N/mm²
ABRASION RESISTANCE	EN ISO 10545-7	PEI ≥ 2	PEI ≥ 4
THERMAL EXPANSION COEFFICIENT	EN ISO 10545-8	≤9MK-1	≤7MK-1
TEMPERATURE SHOCK RESISTANCE	EN ISO 10545-9	NO DEFECTS SHOULD BE VISIBLE	NO DEFECTS SHOULD BE VISIBLE
FROST RESISTANCE	EN ISO 10545-12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE
CHEMICAL PROPERTIES			
CHEMICAL RESISTANCE RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	EN ISO 10545-13	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS
RESISTANCE TO STAINING	EN ISO 10545-14 when subjected to chemicals	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS

Packing Details

SERIES	Sizes 	Pcs/Ctn 	M²/Ctn 	M²/Plt 	Ctns/Plt 	Kg/Plt
JADE	60x120-24"x48"	2	1.44	47.52	33	1089
	60x60-24"x24"	4	1.44	57.6	40	1240
	30x60-12"x24"	8	1.44	57.6	40	1240
	30x30-12"x12"	11	0.99	55.44	56	1176

UNIFORM APPEARANCE
V1


SLIGHT APPEARANCE
V2

MODERATE APPEARANCE
V3

SUBSTANTIAL APPEARANCE
V4

JADE


GREIGE



JAD61201
60x120CM
24"x48"




JAD601
60x60CM
24"x24"



JAD361
30x60CM
12"x24"


WHITE



JAD61202
60x120CM
24"x48"




JAD602
60x60CM
24"x24"




JAD362
30x60CM
12"x24"


SILVER



JAD61205
60x120CM
24"x48"




JAD605
60x60CM
24"x24"




JAD365
30x60CM
12"x24"

BEIGE



JAD61206
60x120CM
24"x48"




JAD606
60x60CM
24"x24"



JAD366
30x60CM
12"x24"

TAUPE



JAD61203
60x120CM
24"x48"




JAD603
60x60CM
24"x24"



JAD363
30x60CM
12"x24"


PEARL



JAD61204
60x120CM
24"x48"



JAD604
60x60CM
24"x24"



JAD364
30x60CM
12"x24"




wall
TAUPE / JAD61203
60x120CM 24"x48"
floor
TAUPE / JAD603
60x60CM 24"x24"

ANGELA



floor
OCEAN / AW61205
60x120CM 24"x48"


ANGELA

Four in sizes 

PERFECT SIZES



60x120cm
24"x48"



60x60cm
24"x24"



30x60cm
12"x24"



30x30cm
12"x12"

Four in colours 


FLAWLESS COLORS




BEIGE



PEARL



OCEAN



NOCE

OCEAN





floor
 BEIGE / AW61201
 60x120CM 24"x48"



floor
 BEIGE / AW601
 60x60CM 24"x24"



floor

PEARL / AW61204
60x120CM 24"x48"



floor

PEARL / AW604
60x60CM 24"x24"



floor

NOCE / AW61206
60x120CM 24"x48"

ANGELA

BEIGE



AW61201
60x120CM
24"x48"



AW601
60x60CM
24"x24"



AW361
30x60CM
12"x24"

PEARL



AW61204
60x120CM
24"x48"



AW604
60x60CM
24"x24"



AW364
30x60CM
12"x24"

OCEAN



AW61205
60x120CM
24"x48"



AW605
60x60CM
24"x24"



AW365
30x60CM
12"x24"

NOCE



AW61206
60x120CM
24"x48"



AW606
60x60CM
24"x24"




AW366
30x60CM
12"x24"

Technical Standard


TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	STANDARD PRESCRIBED VALUES	VALUES OF OUR PRODUCT
MEASUREMENT AND SURFACE APPEARANCE			
 LENGTH	EN ISO 10545-2	±0.6%	±0.1%
 WIDTH	EN ISO 10545-2	±0.6%	±0.1%
 THICKNESS	EN ISO 10545-2	±5%	±3%
 TRANSMUTATION	EN ISO 10545-2	±0.5%	±0.2%
PHYSICAL PROPERTIES			
 WATER ABSORPTION	EN ISO 10545-3	≤0.5%	≤0.1%
 BREAKING STRENGTH	EN ISO 10545-4	≥1300N	≥1800N
 MODULUS OF RUPTURE	EN ISO 10545-4	≥35N/mm²	≥40N/mm²
 ABRASION RESISTANCE	EN ISO 10545-7	PEI ≥ 2	Matt PEI ≥ 4
 THERMAL EXPANSION COEFFICIENT	EN ISO 10545-8	≤9MK-1	≤7MK-1
 TEMPERATURE SHOCK RESISTANCE	EN ISO 10545-9	NO DEFECTS SHOULD BE VISIBLE	NO DEFECTS SHOULD BE VISIBLE
 FROST RESISTANCE	EN ISO 10545-12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE
 SLIP RESISTANCE	Pendulum SRV	N/A	Matt ≥ P3
CHEMICAL PROPERTIES			
 CHEMICAL RESISTANCE RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	EN ISO 10545-13	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS
 RESISTANCE TO STAINING	EN ISO 10545-14 when subjected to chemicals	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS

Packing Details


SERIES	Sizes 	Pcs/Ctn 	M²/Ctn 	M²/Plt 	Ctns/Plt 	Kg/Plt 
ANGELA	60x120-24"x48"	2	1.44	47.52	33	1089
	60x60-24"x24"	4	1.44	57.6	40	1240
	30x60-12"x24"	8	1.44	57.6	40	1240
	30x30-12"x12"	11	0.99	55.44	56	1176



UNIFORM
APPEARANCE
V1



SLIGHT
APPEARANCE
V2




MODERATE
APPEARANCE
V3



SUBSTANTIAL
APPEARANCE
V4



PRODUCT SPECIFICATIONS	
Material:	Porcelain
Edge:	Rectified
Surface Finish:	Matt / External / Lappato
Nominal sizes:	300x600mm, 600x600mm, 600x1200mm
Application:	Floor and Wall
Abrasion Resistance:	PEI 4 For Matt
Shade Variation:	V2
Faces:	6 Faces in 600x1200mm 18 Faces in 600x600mm 36 Faces in 300x600mm




CIMONE



WHITE



CM61201
60x120cm
24"x48"




CM601
60x60cm
24"x24"




CM361
30x60cm
12"x24"

BEIGE



CM61202
60x120cm
24"x48"



CM602
60x60cm
24"x24"




CM362
30x60cm
12"x24"


PEARL



CM61204
60x120cm
24"x48"




CM604
60x60cm
24"x24"




CM364
30x60cm
12"x24"


BLACK



CM61205
60x120cm
24"x48"



CM605
60x60cm
24"x24"



CM365
30x60cm
12"x24"

GREIGE



CM61203
60x120cm
24"x48"




CM603
60x60cm
24"x24"



CM363
30x60cm
12"x24"



CM333
30x30cm
12"x12"






WALL
WHITE / MATT
MX361
30x60cm
12"x24"

FLOOR
WHITE / MATT
MX601
60x60cm
24"x24"



FLOOR
CHARCOAL / MATT
MX605
60x60cm
24"x24"

PRODUCT SPECIFICATIONS	
Material:	Porcelain
Edge:	Rectified
Surface Finish:	Matt / External / Polished
Nominal sizes:	300x600mm, 600x600mm, 600x1200mm
Application:	Floor and Wall
Slip Resistance:	Matt Wet Pendulum Test: P3 External Wet Pendulum Test: P5
Abrasion Resistance:	PEI 4 For Matt
Shade Variation:	V2
Faces:	8 Faces in 600x1200mm 12 Faces in 600x600mm 24 Faces in 300x600mm






MIX



WHITE



MX61201
60x120cm
24"x48"




MX601
60x60cm
24"x24"




MX361
30x60cm
12"x24"

BEIGE



MX61202
60x120cm
24"x48"





MX602
60x60cm
24"x24"



MX362
30x60cm
12"x24"


GREY



MX61203
60x120cm
24"x48"





MX603
60x60cm
24"x24"




MX363
30x60cm
12"x24"


CHARCOAL



MX61205
60x120cm
24"x48"




MX605
60x60cm
24"x24"



MX365
30x60cm
12"x24"


GREY



MX61203
60x120cm
24"x48"




MX603
60x60cm
24"x24"



MX363
30x60cm
12"x24"




MX333
30x30cm
12"x12"



LIMESTONE

UNLIMITILE



PRODUCT SPECIFICATIONS	
Material:	Porcelain
Edge:	Rectified
Surface Finish:	Matt / External / Polished
Nominal sizes:	300x600mm, 600x600mm, 600x1200mm
Application:	Floor and Wall
Slip Resistance:	Matt Wet Pendulum Test: P3 External Wet Pendulum Test: P5
Abrasion Resistance:	PEI 4 For Matt
Shade Variation:	V2
Faces:	6 Faces in 600x1200mm 12 Faces in 600x600mm 24 Faces in 300x600mm



FLOOR
 GREY
LM603
 60x60cm
 24"x24"



FLOOR
 WHITE
LM61201
 60x120cm
 24"x48"


LIMESTONE




FLOOR
 CHARCOAL
LM605
 60x60cm
 24"x24"

LIMESTONE


WHITE



LM61201
60x120cm
24"x48"



LM601
60x60cm
24"x24"




LM361
30x60cm
12"x24"


PEARL



LM61204
60x120cm
24"x48"




LM604
60x60cm
24"x24"




LM364
30x60cm
12"x24"

GREY



LM61203
60x120cm
24"x48"



LM603
60x60cm
24"x24"




LM363
30x60cm
12"x24"

CHARCOAL



LM61205
60x120cm
24"x48"



LM605
60x60cm
24"x24"




LM365
30x60cm
12"x24"


GREY



LM61203
60x120cm
24"x48"




LM603
60x60cm
24"x24"



LM363
30x60cm
12"x24"



LM333
30x30cm
12"x12"



COBBLES

UNLIMITILE



PRODUCT SPECIFICATIONS	
Material:	Porcelain
Edge:	Rectified
Surface Finish:	Natural / Grip / Polished
Nominal sizes:	30x60cm / 60x60cm / 60x120cm
Application:	Floor and Wall
Slip Resistance:	Matt Wet Pendulum Test: P3
Abrasion Resistance:	PEI 4 For Matt
Shade Variation:	V2
Faces:	12 Faces in 60x120cm 24 Faces in 60x60cm 48 Faces in 30x60cm






COBBLES




COBBLES

IVORY



CBS61201
60x120cm
24"x48"




CBS601
60x60cm
24"x24"




CBS361
30x60cm
12"x24"

BEIGE



CBS61202
60x120cm
24"x48"





CBS602
60x60cm
24"x24"




CBS362
30x60cm
12"x24"

MARRON



CBS61205
60x120cm
24"x48"



CBS605
60x60cm
24"x24"




CBS365
30x60cm
12"x24"

GLACIER



CBS61206
60x120cm
24"x48"




CBS606
60x60cm
24"x24"




CBS366
30x60cm
12"x24"


PUMICE



CBS61204
60x120cm
24"x48"




CBS604
60x60cm
24"x24"




CBS364
30x60cm
12"x24"


IRON




CBS61203
60x120cm
24"x48"



CBS603
60x60cm
24"x24"



CBS363
30x60cm
12"x24"



GALAXY



PRODUCT SPECIFICATIONS	
Material:	Porcelain
Edge:	Rectified
Surface Finish:	Matt / External / Lappato
Nominal sizes:	300x600mm, 600x600mm, 600x1200mm
Application:	Floor and Wall
Slip Resistance:	Matt Wet Pendulum Test: P3 External Wet Pendulum Test: P5
Abrasion Resistance:	PEI 4 For Matt
Shade Variation:	V2
Faces:	12 Faces in 600x1200mm 15 Faces in 600x600mm 30 Faces in 300x600mm

BIRCH



GLX61202M
60x120cm
24"x48"




GLX6602M
60x60cm
24"x24"




GLX3602M
30x60cm
12"x24"

PUMICE



GLX61203M
60x120cm
24"x48"



GLX6603M
60x60cm
24"x24"



GLX3603M
30x60cm
12"x24"


GLACIER



GLX61204M
60x120cm
24"x48"




GLX6604M
60x60cm
24"x24"




GLX3604M
30x60cm
12"x24"


FLINT



GLX61205M
60x120cm
24"x48"




GLX6605M
60x60cm
24"x24"




GLX3605M
30x60cm
12"x24"

FLINT




60x60cm

60x120cm



GLX61205M
60x120cm
24"x48"



GLX6605M
60x60cm
24"x24"



GLX3605M
30x60cm
12"x24"

PORCELAIN
TILE

MATT
SURFACE

POLISHED
SURFACE

WALL
TILE

FLOOR
TILE


THICKNESS
600x600x9.5mm

THICKNESS
600x1200x10mm


SPARKLE




CHARCOAL



SPA61201
60x120cm
24"x48"



SPA6001
60x60cm
24"x24"



SPA361
30x60cm
12"x24"




SPA331
30x30cm
12"x12"



NOIR BLANC VEINS


Five in sizes



PERFECT SIZES



60x120cm
24"x48"



60x60cm
24"x24"



30x60cm
12"x24"



30x30cm
12"x12"




29.8x72.3cm
12"x28"


Two specifications shown




FLAWLESS COLORS



NB605ST
60x60CM - 24"x24"



NB605ST-M3
29.8x72.3CM - 12"x28"





wall

NB365ST

30x60CM 12"x24"

floor

NTR611

60x60CM 24"x24"

235

236

NOIR BLANC VEINS SERIES



wall

NB365ST
30x60CM 12"x24"

NB605ST-M3
29.8x72.3CM - 12"x28"

Technical Standard

TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	STANDARD PRESCRIBED VALUES	VALUES OF OUR PRODUCT
MEASUREMENT AND SURFACE APPEARANCE			
LENGTH	EN ISO 10545-2	±0.6%	±0.1%
WIDTH	EN ISO 10545-2	±0.6%	±0.1%
THICKNESS	EN ISO 10545-2	±5%	±3%
TRANSMUTATION	EN ISO 10545-2	±0.5%	±0.2%
PHYSICAL PROPERTIES			
WATER ABSORPTION	EN ISO 10545-3	≤0.5%	≤0.1%
BREAKING STRENGTH	EN ISO 10545-4	≥1300N	≥1800N
MODULUS OF RUPTURE	EN ISO 10545-4	≥35N/mm²	≥40N/mm²
ABRASION RESISTANCE	EN ISO 10545-7	PEI ≥ 2	PEI ≥ 4
THERMAL EXPANSION COEFFICIENT	EN ISO 10545-8	≤9MK-1	≤7MK-1
TEMPERATURE SHOCK RESISTANCE	EN ISO 10545-9	NO DEFECTS SHOULD BE VISIBLE	NO DEFECTS SHOULD BE VISIBLE
FROST RESISTANCE	EN ISO 10545-12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE
SLIP RESISTANCE	Pendulum SRV	N/A	≥ P2
CHEMICAL PROPERTIES			
CHEMICAL RESISTANCE RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	EN ISO 10545-13	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS
RESISTANCE TO STAINING	EN ISO 10545-14 when subjected to chemicals	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS

Packing Details

SERIES	Sizes 	Pcs/Ctn 	M²/Ctn 	M²/Plt 	Ctns/Plt 	Kg/Plt
SPARKLE NOIR BLANC VEINS	60x120-24"x48"	2	1.44	47.52	33	1089
	60x60-24"x24"	4	1.44	57.6	40	1240
	30x60-12"x24"	8	1.44	57.6	40	1240
	30x30-12"x12"	11	0.99	55.44	56	1176

UNIFORM APPEARANCE
V1

SLIGHT APPEARANCE
V2

MODERATE APPEARANCE
V3

SUBSTANTIAL APPEARANCE
V4

CALACATTA ARABESCATO



WALL
WHITE / GLOSSY
ARA361P
30x60cm
12"x24"



FLOOR
WHITE / SATIN
ARA601
60x60cm
24"x24"

PRODUCT SPECIFICATIONS

Material:	Porcelain
Edge:	Rectified
Surface Finish:	Satin / Glossy (Polished)
Nominal sizes:	300x600mm, 600x600mm, 600x1200mm
Application:	Floor and Wall
Abrasion Resistance:	PEI 3 For Satin
Shade Variation:	V2
Faces:	12 Faces in 600x1200mm 24 Faces in 600x600mm 48 Faces in 300x600mm



CALACATTA ARABESCATO



60x60cm



ARA61201
60x120cm
24"x48"



ARA601
60x60cm
24"x24"



ARA361
30x60cm
12"x24"




ARA331
30x30cm
12"x12"



ARA131
10x30cm
4"x12"



60x120cm



CALACATTA GOLD



FLOOR

GOLD / POLISHED
CTG61201P
60x120cm
24"x48"

PRODUCT SPECIFICATIONS

Material:	Porcelain
Edge:	Rectified
Surface Finish:	Satin / Glossy (Polished)
Nominal sizes:	300x600mm, 600x600mm, 600x1200mm
Application:	Floor and Wall
Abrasion Resistance:	PEI 3 For Satin
Shade Variation:	V2
Faces:	8 Faces in 600x1200mm 12 Faces in 600x600mm 18 Faces in 300x600mm



CALACATTA GOLD



60x60cm



CTG61201
60x120cm
24"x48"



CTG601
60x60cm
24"x24"



CTG361
30x60cm
12"x24"



CTG331
30x30cm
12"x12"



60x120cm



CALACATTA WHITE



FLOOR
WHITE / GLOSSY
BCL6001
60x60cm
24"x24"



WALL
WHITE / GLOSSY
BCL3601
30x60cm
12"x24"

FLOOR
WHITE / GLOSSY
BCL6001
60x60cm
24"x24"


PRODUCT SPECIFICATIONS	
Material:	Porcelain
Edge:	Rectified
Surface Finish:	Satin / Glossy (Polished)
Nominal sizes:	300x600mm, 600x600mm, 600x1200mm
Application:	Floor and Wall
Abrasion Resistance:	PEI 3 For Satin
Shade Variation:	V2
Faces:	12 Faces in 600x1200mm 24 Faces in 600x600mm 48 Faces in 300x600mm



CALACATTA WHITE



60x60cm



BCL61201
60x120cm
24"x48"



BCL6001
60x60cm
24"x24"



BCL3601
30x60cm
12"x24"



BCL3301
30x30cm
12"x12"



BCL3101
10x30cm
4"x12"



Square
30x30cm



Hexagon
26.5x30.5cm



60x120cm



THICKNESS
600x600x9.5mm

THICKNESS
600x1200x10mm

STAR WHITE



WALL
**WHITE / GLOSSY
SLW3601P**
30x60cm
12"x24"

FLOOR
**WHITE / SATIN
SLW6001Y**
60x60cm
24"x24"



60x60cm

PRODUCT SPECIFICATIONS	
Material:	Porcelain
Edge:	Rectified
Surface Finish:	Satin / Glossy (Polished)
Nominal sizes:	300x600mm, 600x600mm, 600x1200mm
Application:	Floor and Wall
Abrasion Resistance:	PEI 3 For Satin
Shade Variation:	V2

